

## CE labs Twitter Widget 1.1

Twitter widget is used to display user timelines. Tweets can be displayed inside of an iFrame in an HTML zone of QuickSign Pro Designer. A username is to be specified in iFrame src property. CE labs can show your latest top 20 tweets from a Twitter user timeline.

### Rules:

New rules since June 2013 prohibits hitting Twitter website directly for tweets using JavaScript, and implemented strict rate limits. Now, it is not allowed to hit more than 180 times in 15 minutes windows to Twitter API servers. So, CE labs cache user tweets on our server as frequently as possible. This frequency is mainly dependent on the number of Twitter accounts requesting to our server. More accounts equals less the refresh frequency. We recommend you to follow a fair usage policy, and set your update time at least to 5 minutes.

### Getting Started:


To get started Drag-drop an HTML zone in a layout then Right-click > Select Zone Properties. Copy-paste this iFrame HTML code inside of HTML Zone Properties (See image below).

**Red-Yellow** text in iFrame code below is the Twitter user handle. You can substitute your username here to show tweets from a user timeline.

### Twitter Widget Code:

```
<iframe src="http://widgets.celabs.net/twitter/celabs" width="500px" height="400px" marginwidth="0" marginheight="0" align="top" scrolling="No" frameborder="0" hspace="0" vspace="0"></iframe>
```

### Html Zone Properties:



## Optional Properties:

### **count**

*Set number of tweets to display. The top n tweets will be displayed.*

Possible values: 100.

Default: 50.

### **showLogo**

*Specify if show user profile logo for each tweet.*

Possible values: yes, no.

Default: yes

### **fontSize**

*Set tweet text font size.*

Possible values: numeric in px, pt, or cm.

Default: 15px

### **fontColor**

*Set tweet text color.*

Possible values: color names, or hash codes.

Default: black.

Note: Specify hash codes as %23f6f6f6 for #f6f6f6. %23 is for html encoding.

### **bgColor**

*Set background color for display for each tweet.*

Possible values: color names, or hash codes.

Default: white.

Note: Specify hash codes as %23f6f6f6 for #f6f6f6. %23 is for html encoding.

### **slideShow**

*Specify if tweets display is a slideshow.*

Possible values: yes, no.

Default: no

Note: If not specified, we will display a list of tweets in default mode.

### **slideShowDuration**

*Set time interval in Seconds for each slideshow.*

Possible values: numeric

Default: 10

### **headerFontSize**

*Set header text font size. Header text includes handle, user name, and date time.*

Possible values: numeric in px, pt, or cm.

Default: 10px

## headerFontColor

Set header text color. Header text includes handle, user name, and date time.

Possible values: color names, or hash codes.

Default: black

Note: Specify hash codes as %23f6f6f6 for #f6f6f6. %23 is for html encoding.

## style

Set custom styling for tweet list.

Possible values: border-radius: 5px; box-shadow: 0px 0px 30px rgba(0, 0, 0, 0.1) inset;

**Note:** Always specify style at end, and after above properties.

## Example code:

### Twitter List

```
<iframe
src="http://widgets.celabs.net/twitter/celabs?slideshow=no&fontsize=12
pt&fontColor=%238C8B91&bgColor=White&style=background-color:white;box-
shadow: 0px 0px 30px rgba(0, 0, 0, 0.1) inset;box-shadow: 0px 0px 30px
rgba(0, 0, 0, 0.1);color: #E6F5FF;font-size: .9rem; text-shadow: 0 0
1px rgba(37, 82, 128, 0.5);border:1px solid black;" width="350px"
height="770px" marginwidth="0" marginheight="0" align="top"
scrolling="No" frameborder="0" hspace="0" vspace="0"></iframe>
```

### Twitter Slideshow

```
<iframe
src="http://widgets.celabs.net/twitter/celabs?slideshow=yes&fontsize=2
0pt&fontColor=%238C8B91&bgColor=White&slideShowWidth=300px&slideShowHe
ight=300px&slideShowDuration=6&headerFontSize=10pt&headerFontColor=%23
4099FF&style=background-color:white;box-shadow: 0px 0px 30px rgba(0,
0, 0, 0.1) inset;box-shadow: 0px 0px 30px rgba(0, 0, 0, 0.1);color:
#E6F5FF;font-size: .9rem; text-shadow: 0 0 1px rgba(37, 82, 128,
0.5);border:1px solid black;" width="300px" height="300px"
marginwidth="0" marginheight="0" align="top" scrolling="No"
frameborder="0" hspace="0" vspace="0"></iframe>
```